

著作目録（金子主税）

著者	東北大学史料館
号	600
発行年	1996-03
URL	http://hdl.handle.net/10097/00065417

金子主税教授著作目録

平成8年3月
東北大学記念資料室
(著作目録第600号)



金子主税教授略歴

生年月日 昭和7年9月7日生
本籍地 東京都
所属 東北大学薬学部

学歴

昭和30年3月 東京大学医学部薬学科 卒業
昭和32年3月 東京大学大学院化学系研究科薬学専門課程修士課程修了
昭和35年3月 東京大学大学院化学系研究科薬学専門課程博士課程修了

学位

昭和35年6月 東京大学薬学博士

受賞

昭和42年4月 日本薬学会奨励賞受賞
昭和51年4月 Abbott賞受賞
昭和51年4月 宮田賞受賞
平成5年3月 日本薬学会賞受賞

職歴

昭和35年4月 東京医科歯科大学歯科材料研究所助教授
昭和35年8月 アメリカ合衆国アイオワ州立大学化学部及びシカゴ大学化学部に博士研究員として各1ヶ年出張（この間、ブルブライトトラベルグラントを受領）
昭和42年4月 東京医科歯科大学医用機材研究所助教授配置換

昭和43年～昭和47年	同大学大学院歯科研究科担当（兼務）
昭和48年～昭和51年	同医学研究科担当（兼務）
昭和51年 4 月	金沢大学薬学部教授（薬化学講座）
昭和59年 4 月	東北大学薬学部教授（薬化学講座）
平成 7 年 4 月	東北大学図書館北青葉山分館長
平成 8 年 3 月	停年退職

学会ならびに社会における活動

日本薬学会（理事，評議員，東北支部長）

光化学協会（理事）

日本学術振興会（特別研究員等審査専門委員 平成 2 年～ 3 年）

文部省関係

学術審議会専門委員（科学研究費分科会 昭和57年～59年）

学術審議会専門委員（重点領域研究審査委員 平成 3 年～ 6 年）

Editorial Board Member

Chem. Pharm. Bull. 及び J. Heterocyclic Chemistry

著 作 目 録

著 書

1. 金子主税：紫外および赤外吸収スペクトル，有機分析（津田恭介編），産業図書，東京（1965）.
2. 金子主税：芳香族アミノオキサイドの光化学反応，現代有機合成シリーズ（ヘテロ環化合物の合成と反応）有機合成協会編，技報堂，東京（1970）.
3. 金子主税：反応機構要説，新稿有機薬品合成化学，南江堂，東京（1970）.
4. 金子主税：新しいホルモン活性型ビタミンD — 化学と生理活性，新宿書房，（1979）.
5. 金子主税：理論有機化学，南江堂，東京（1989）.
6. 金子主税，片桐信弥，栗本 歩：超高圧下の有機化学反応，高圧食品科学（林力丸編），pp 37 - 45，三栄出版，京都（1993）.
7. C. Kaneko, Physico-chemical properties of aromatic amine oxides (Chapt. 4) in Aromatic Amine Oxides (by Eiji Ochiai), Elsevier, Amsterdam (1967).
8. C. Kaneko, Chiral 1,3-Dioxin-4-ones and Related Compounds as Versatile Intermediates for EPC Synthesis, "Organic Synthesis in Japan: Past, Present, and Future" (In Commemoration of the 50th Anniversary of the Society of Synthetic Organic Chemistry, Japan)", ed. by R. Noyori, pp 175-183, Tokyo Kagaku Dojin (1992).

総 説

1. 金子主税：有機化学の最も新しい理論 — 分子軌道法のはなし，化学と薬学の教室，**2**，11 - 23（1964）.
2. 金子主税，野副重男：Eudesmane および Guaiane 型セスキテルペンの立体構造に関する規則性，化学の領域（増刊），**80**，66 - 90（1967）.
3. 金子主税，山田幸子，横江一郎：芳香族アミノオキサイドの光化学反応，東京医科歯科大学医器材研報，**1**，1 - 5（1967）.
4. 金子主税，山田幸子，横江一郎：有機光化学反応，ファルマシア，**1967**，86 - 90.
5. 金子主税：N - オキサイドの光化学反応，有機合成化学協会誌，**26**，758 - 772（1968）.

6. 石川正幸, 金子主税, ヘテロ環の光化学反応 (芳香族 amine *N*-oxide 類の異性化反応を中心として), 化学の領域 (増刊), **92**, 149 – 202 (1970).
7. 金子主税: *N*- オキシドの光異性化反応, 化学の領域 (増刊), **93**, 235 – 261 (1970).
8. 金子主税: 複素芳香環の光化学反応, 化学総説, **1**, 131 – 150 (1973).
9. 金子主税, 市川 紘, 首藤紘一, 田中誠二: 電子論の新しい考え方 (その1), **28**, 487 – 499 (1974).
10. 金子主税, 市川 紘, 首藤紘一, 田中誠二: 電子論の新しい考え方 (その2), **28**, 562 – 571 (1974).
11. 金子主税, 市川 紘, 首藤紘一, 田中誠二: 電子論の新しい考え方 (その3), **28**, 623 – 634 (1974).
12. 金子主税, 市川 紘, 首藤紘一, 田中誠二: 電子論の新しい考え方 (その4), **28**, 717 – 722 (1974).
13. 金子主税: 1α -Hydroxyvitamin D_3 およびその関連化合物の合成研究 — 活性型ビタミン D_3 : $1\alpha, 25-(OH)_2-D_3$ の合成アナログを求めて, 有機合成化学協会誌, **33**, 75 – 94 (1975).
14. 須田立雄, 鈴木ミチ子, 福島政文, 金子主税, 西井易穂, 佐々木 哲: 活性型ビタミン D — 1α 位と25位の水酸基の重要性, 代謝, **12**, 1365 – 1372 (1975).
15. 須田立雄, 佐々木 哲, 金子主税, 石川正幸, 西井易穂, 新藤 実, 高垣善男, 高梨 茂, 鈴木茂生: 1α -OH- D_3 の基礎, 診療と新薬, **13**, 1595 – 1617 (1976).
16. 金子主税: 光と光化学反応, ファルマシア, **17**, 801 – 803 (1981).
17. C. Kaneko and T. Naito, Syntheses and reactions of cyclobutane-fused heteroaromatics, *Heterocycles*, **19**, 2183–2206 (1982).
18. 内藤俊彦, 金子主税: 芳香環化合物とアルケンとの光付加による四員環化合物の合成とその炭素—炭素結合の開裂反応, 有機合成化学協会誌, **42**, 51 – 75 (1984).
19. 金子主税: 光反応, 化学総説 (有機合成反応をいかに制御するか), **47**, 107 – 118 (1985).
20. 金子主税, 佐藤雅之, 片桐信弥: 光化学的周辺環状反応を用いる生理活性化合物の合成, 有機合成化学協会誌, **44**, 1058 – 1070 (1986).
21. C. Kaneko, M. Sato, J. Sakaki, and Y. Abe, 1,3-Dioxin-4-ones as versatile intermediates for organic synthesis, *J. Heterocyclic Chem.*, **27** (Lectures in Heterocyclic Chem.), 25–30 (1990).

22. 片桐信弥, 金子主税: 力づくの化学 — 超高圧下での有機合成, 現代化学, **226**, 30 - 35 (1990).
23. 金子主税, 片桐信弥: 超高圧下の有機反応, フェルマシア, **27**, 547 - 551 (1991).
24. C. Kaneko, N. Katagiri, M. Nomura, and H. Sato, A new method for the stereoselective synthesis of nucleosides by means of sodium borohydride mediated C-C or C-N bond cleavage reaction, *Israel J. Chem.* (Special issue on newer method in synthesis of natural products), **31**, 247-259 (1991).
25. 金子主税, 佐藤雅之, 岩岡友保: 1,3 - ジオキシシン-4-オン類をエノン成分として用いる不斉光 2+2 環化付加反応, 光化学, **16**, 15 - 21 (1992).
26. 金子主税, 杉田義昭, 永嶋信也: ノルボルネンはなぜ選択的にエキソ面で反応を起こすか, 化学, **47**, 792 - 793 (1992).
27. 金子主税, 栗本 歩, 永嶋信也: 化学反応の立体選択性は何によって決まるか (I), 化学, **48**, 262 - 266 (1993).
28. 金子主税, 佐藤雅之, 永嶋信也, 栗本 歩: 化学反応の立体選択性は何によって決まるか (II), 化学, **48**, 338 - 342 (1993).
29. 金子主税: 新反応設計と創薬合成への展開, 薬学雑誌, **113**, 627 - 646 (1993).
30. 金子主税, 豊田朱見, 千葉 淳: 炭素 - 炭素二重結合 (特にエノン類) への分子フッ素の付加反応, 薬学雑誌, **114**, 160 - 170 (1994).
31. M. Sato, S. Sunami, and C. Kaneko,
Conformation and facial selectivity of six-membered 1,3-diheterocycles involving an enone function,
Heterocycles (Prof. Ban's memorial issue), in press (1995).
32. 片桐信弥, 金子主税: 新規ヌクレオシド分子の構築 — 炭素環ヌクレオシドを中心に, 蛋白質 核酸 酵素, **40**, 1219 - 1231 (1995).

論 文

1. S. Shibata, T. Murakami, O. Tanaka, G. Chihara, I. Kitagawa, M. Sumimoto, and C. Kaneko, The respective identities of endothianin and radicalisin with skyrin and rugulosin; and the structure of skyrin,
Pharm. Bull., **3**, 160 (1955).
2. O. Tanaka and C. Kaneko, Metabolic products of fungi. VI. The structure of skyrin. (2). Synthesis of skyrin β , β' -dimethyl ether,
Pharm. Bull., **3**, 284 (1955).

3. E. Ochiai and C. Kaneko, Polarisation der Heterozyklischen Ringe mit Aromatischem Charakter. CXV, Über eine neue Nitrierung des Chinolin N-Oxydes,
Chem. Pharm. Bull., **5**, 56 (1957).
4. E. Ochiai, C. Kaneko, and J. Inomata, Polarisation der Heterozyklischen Ringe mit Aromatischem Charakter. CXX, Catalytic reduction of 3-nitroquinoline 1-oxide,
Yakugaku Zasshi, **78**, 584 (1958).
5. E. Ochiai and C. Kaneko, Polarisation der Heterozyklischen Ringe mit Aromatischem Charakter. CXXIX, Über eine neue Nitrierung des Chinolin N-Oxides. (2),
Chem. Pharm. Bull., **7**, 191 (1959).
6. E. Ochiai and C. Kaneko, Polarisation der Heterozyklischen Ringe mit Aromatischem Charakter. CXXX. Nitrierung des 6-Methyl- und 3-Bromochinolin N-Oxydes mit Benzoylnitrat,
Chem. Pharm. Bull., **7**, 195 (1959).
7. C. Kaneko, Polarization of Aromatic Heterocyclic Compounds. CXXXIII. Infrared spectra of 2- and 4-hydroxyquinoline 1-oxides and their derivatives,
Yakugaku Zasshi, **79**, 428 (1959).
8. C. Kaneko, Polarization of Aromatic Heterocyclic Compounds. CXXXIV. Ultraviolet spectra of mononitroquinolines, mononitroisoquinolines, and haloquinolines,
Yakugaku Zasshi, **79**, 433 (1959).
9. E. Ochiai and C. Kaneko, Polarisation der Heterozyklischen Ringe mit Aromatischem Charakter, CXXXI. Über eine neue Nitrierung des Chinolin N-Oxydes. (3),
Chem. Pharm. Bull., **7**, 267 (1959).
10. C. Kaneko, Polarisation der Heterozyklischen Ringe mit Aromatischem Charakter. CXXXII, Über 2-Hydroxychinolin N-Oxyde,
Chem. Pharm. Bull., **7**, 273 (1959).
11. E. Ochiai and C. Kaneko, Polarisation der Heterozyklischen Ringe mit Aromatischem Charakter. CXXXVII, Bemerkung zur Nitrierung des Pyridin N-Oxides mittels Acylnitrates und Über 3,5-Dinitropyridin N-Oxyd,
Chem. Pharm. Bull., **8**, 28 (1960).

12. E. Ochiai, C. Kaneko, I. Shimada, Y. Murata, T. Kosuge, S. Miyashita, and C. Kawasaki, Entstehung von 3-Hydroxy Derivaten bei der N-Oxydierung der Chinolin Derivate mittels Wasserstoff-peroxyde in Eisessig Lösung, *Chem. Pharm. Bull.*, **8**, 126 (1960).
13. E. Ochiai and C. Kaneko, Polarisation der Heterozyklischen Ringe mit Aromatischem Charakter. CXXXVIII, Über eine neue Nitrierung des Chinolin-1-oxydes. (4), *Chem. Pharm. Bull.*, **8**, 284 (1960).
14. C. Kaneko, Polarisation der Heterozyklischen Ringe mit Aromatischem Charakter. CXL, Über eine Modifizierte Reissert'sche Reaktion in der Chinolin-1-oxyd-Reihe, *Chem. Pharm. Bull.*, **8**, 286 (1960).
15. E. Ochiai, M. Hamana, Y. Kobayashi, and C. Kaneko, Synthese von Derivaten der Cinchona-Alkaloide. XXXIII. Synthese von 2'-Cyano-derivaten der Alkaloids der Chinin-Reihe, *Chem. Pharm. Bull.*, **8**, 487 (1960).
16. M. Ishikawa, T. Kagawa, C. Kaneko, T. Miyasaka, and T. Tsuchiya, New synthesis of N-oxide derivatives of cinchona alkaloids, *Rept. Res. Inst. Dental Materials, Tokyo Medico-Dental Univ.*, **3**, 181 (1961).
17. E. Wenkert, R. W. J. Carney, and C. Kaneko, Dehydroabietic acid derivatives: an unusual α -oxidation of a ketone, *J. Am. Chem. Soc.*, **83**, 4440 (1961).
18. M. J. S. Dewar, C. Kaneko, and (in part) M. K. Bhattacharjee, New heteroaromatic compounds. 16. Compounds with heteroatoms at bridgeheads, *J. Am. Chem. Soc.*, **84**, 4884 (1962).
19. C. Kaneko, T. Miyasaka, and I. Yokoe, Conversion of 3-methylisoquinoline 2-oxide to 4-hydroxy-3-methylisoquinoline. Improved synthesis of the key intermediate compound in the synthesis of vitamin B₆ (pyridoxine) via 4-hydroxy-3-methylisoquinoline or its equivalent, *Rept. Res. Inst. Dental Materials, Tokyo Medico-Dental Univ.*, **5**, 471 (1963).
20. C. Kaneko and T. Miyasaka, General classification of substitution reaction in pyridine 1-oxide and its homologues, *Rept. Res. Inst. Dental Materials, Tokyo Medico-Dental Univ.*, **5**, 466 (1963).
21. C. Kaneko, S. Yamada, I. Yokoe, Mechanism on the rearrangement reaction of α - and γ -picoline-1-oxides and their homologues with acetic anhydride, *Rept. Res. Inst. Dental Materials, Tokyo Medico-Dental Univ.*, **5**, 475 (1963).

22. C. Kaneko, T. Tsuchiya, and M. Ishikawa, Isolation and structure of new diterpenes, dimethylsciadinonate and sciadinone, from *Sciadopitys verticillata*, *Chem. Pharm. Bull.*, **11**, 271 (1963).
23. C. Kaneko, T. Tsuchiya, and M. Ishikawa, Relative configuration of sciadin, dimethylsciadinonate, and sciadinone, and substitution of oxygen in the lactone ring of sciadin with nitrogen, *Chem. Pharm. Bull.*, **11**, 1346 (1963).
24. E. Wenkert, A. Afonso, J. B-son Bredenberg, C. Kaneko, and A. Tahara, Synthesis of some resin acids, *J. Am. Chem. Soc.*, **86**, 2038 (1964).
25. C. Kaneko, T. Tsuchiya, and M. Ishikawa, Proton magnetic resonance study on the furanoid diterpenes, obtained from *Sciadopitys verticillata* Siev. et Zucc. and their related compounds, *Rept. Res. Inst. Dental Materials, Tokyo Medico-Dental Univ.*, **6**, 533 (1964).
26. C. Kaneko, S. Hayashi, and M. Ishikawa, On the structure of verticillol, *Chem. Pharm. Bull.*, **12**, 1510 (1964).
27. M. Ishikawa, S. Yamada, and C. Kaneko, Photochemical rearrangement of quinaldine 1-oxide, *Chem. Pharm. Bull.*, **13**, 747 (1965).
28. C. Kaneko and S. Yamada, Synthesis of 1aH-oxazirino[2,3-a]quinoline derivatives, *Chem. Pharm. Bull.*, **14**, 555 (1966).
29. C. Kaneko and S. Yamada, Photochemical conversion of azanaphthalene N-oxides to the corresponding oxaziranes, *Rept. Res. Inst. Dental Materials, Tokyo Medico-Dental Univ.*, **9**, 804 (1966).
30. C. Kaneko, S. Yamada, and M. Ishikawa, Irradiation of N-oxides of α -cyanoazanaphthalene in an aprotic solvent, *Tetrahedron Lett.*, **1966**, 2145.
31. M. Ishikawa, S. Yamada, H. Hotta, and C. Kaneko, Photochemistry of the N-oxides of azanaphthalene and their substituted derivatives, *Chem. Pharm. Bull.*, **14**, 1102 (1966).
32. C. Kaneko, S. Yamada, and I. Yokoe, Reactions of 1aH-oxazirino[2,3-a]-quinolines and 1aH-oxazirino[2,3-a]isoquinolines via 7-membered oxazepine intermediates, *Tetrahedron Lett.*, **1966**, 4701.

33. C. Kaneko, S. Yamada, I. Yokoe, N. Hata, and Y. Ubukata, Photochemical reduction of 4-nitropyridine 1-oxide and its methyl-substituted derivatives in ethanol,
Tetrahedron Lett., **1966**, 4724.
34. C. Kaneko, I. Yokoe, S. Yamada, and M. Ishikawa, Photochemical synthesis of 1aH-oxazirino[2,3-a]quinoxaline derivatives and their thermal reactions,
Chem. Pharm. Bull., **14**, 1316 (1966).
35. C. Kaneko and S. Yamada, The isomerization of 1aH-oxazirino[2,3-a]-quinoline 1a-carbonitrile and its substituted derivatives to the corresponding 3-hydroxyquinoline derivatives,
Chem. Pharm. Bull., **15**, 663 (1967).
36. C. Kaneko, I. Yokoe, and S. Yamada, Photochemical rearrangement of pyridine and quinoline 1-oxides having sterically hindered 4-nitro group,
Tetrahedron Lett., **1967**, 775.
37. C. Kaneko, S. Yamada, I. Yokoe, and M. Ishikawa, Structures of the stable photo-products derived from quinoline 1-oxides and quinoxaline 1-oxides,
Tetrahedron Lett., **1967**, 1873.
38. C. Kaneko and S. Yamada, Photolysis of 4-phenylquinazoline 3-oxides to benz[f]-1,3,5-oxadiazepines,
Tetrahedron Lett., **1967**, 5233.
39. C. Kaneko, I. Yokoe, and M. Ishikawa, Photochemical reaction of 2-cyanoquinoline 1-oxides with amines. A new approach to N-amino-carbostyrils,
Tetrahedron Lett., **1967**, 5237.
40. C. Kaneko and I. Yokoe, Reaction of 6-methylbenz[d]-1,3-oxazepine-2-carbonitrile with amines,
Tetrahedron Lett., **1967**, 5355.
41. C. Kaneko, S. Yamada, and I. Yokoe, Photochemistry of pyridine 1-oxides having nitro, nitroso, or hydroxyamino group in their 4-position,
Chem. Pharm. Bull., **15**, 356 (1967).
42. A. Kubo, S. Sakai, S. Yamada, I. Yokoe, C. Kaneko, A. Tatematsu, H. Yoshizumi, E. Hayashi, and H. Nakata, A novel skeletal rearrangement of aromatic N-oxides upon electron impact,
Chem. Pharm. Bull., **15**, 1079 (1967).
43. A. Kubo, S. Sakai, S. Yamada, I. Yokoe, and C. Kaneko, Mass spectra of azanaphthalene N-oxides and their photochemical reaction products,
Chem. Pharm. Bull., **16**, 1533 (1968).

44. M. Ishikawa, C. Kaneko, and S. Yamada, The photolysis of acridine N-oxide to cyclohept[*b*]indol-10(5*H*)-one,
Tetrahedron Lett., **1968**, 4519.
45. S. Yamada and C. Kaneko, The isomerization of 2-phenyl- and 2-cyanobenz-[*d*]-1,3-oxazepines to the corresponding 3-hydroxyquinolines,
Rept. Res. Inst. Med. Engi., Tokyo Medico-Dental Univ., **3**, 75 (1969).
46. M. Ishikawa, C. Kaneko, I. Yokoe, and S. Yamada, Photolysis of 2,6-dicyano-pyridine 1-oxides,
Tetrahedron, **25**, 295 (1969).
47. C. Kaneko, I. Yokoe, S. Yamada, and M. Ishikawa, Solvent effects in the photolysis of tetrahydroacridine 10-oxide derivatives,
Chem. Pharm. Bull., **17**, 1290 (1969).
48. C. Kaneko, S. Yamada, and M. Ishikawa, The photolysis of 9-cyanoacridine 10-oxides: The synthesis of benz[*c*]-2-aza-1,6-oxido[10]annulenes, oxepino[2,3-*b*]quinolines, and 11-cyano-6-oxo-6H-azepino[*a*]indoles,
Chem. Pharm. Bull., **17**, 1294 (1969).
49. C. Kaneko, S. Yamada, and M. Ishikawa, Synthesis of dibenzo[*c,g*]-2,5-diaza-1,6-oxido[10]annulene and 12-methyldibenz[*c,g*]-2-aza-1,6-oxido[10]-annulene,
Tetrahedron Lett., **1970**, 2329.
50. C. Kaneko, S. Yamada, I. Yokoe, and T. Kubota, Evidence for the formation of oxaziridine during the light irradiation of aromatic amine oxides,
Tetrahedron Lett., **1970**, 2333.
51. C. Kaneko, S. Hayashi, and M. Ishikawa, Photochemical reactions of 2,4-dimethylbenzo[*g*]quinoline and its N-oxide,
Rept. Res. Inst. Med. Engi., Tokyo Medico-Dental Univ., **4**, 149 (1970).
52. S. Hayashi, M. Ishikawa, and C. Kaneko, Synthesis of 5,10-epidioxy-5,10-diphenylbenzo[*g*]quinoline and its derivatives as sources of singlet oxygen,
Rept. Res. Inst. Med. Engi., Tokyo Medico-Dental Univ., **5**, 43 (1971).
53. S. Yamada, M. Ishikawa, and C. Kaneko, Photolysis of 2,7-dimethylacridine 10-oxide,
Tetrahedron Lett., **1972**, 971.
54. S. Yamada, M. Ishikawa, and C. Kaneko, Identification of the presence of unstable intermediate in the photolyses of acridine 10-oxides,
Tetrahedron Lett., **1972**, 977.

55. S. Yamada, M. Ishikawa, and C. Kaneko, Synthesis of dibenzo[*c,f*]-1,2-oxazepines as primary stable photoproducts in the photolyses of acridine 10-oxides,
J. Chem. Soc., Chem. Commun., **1972**, 1093.
56. I. Yokoe, M. Ishikawa, and C. Kaneko, Photolysis of 2-styrylquinoline 1-oxides,
Rept. Res. Inst. Med. Engi., Tokyo Medico-Dental Univ., **6**, 18 (1972).
57. C. Kaneko, New symbolism of electron shifts in resonance theory. I. Concurrent description of electron shifts and stereospecificities in pericyclic reactions,
Tetrahedron, **28**, 4915 (1972).
58. C. Kaneko, S. Yamada, A. Sugimoto, M. Ishikawa, S. Sasaki, and T. Suda, 1 α -Hydroxylation of cholesterol and the related 3-hydroxysteroids,
Tetrahedron Lett., **1973**, 2339.
59. C. Kaneko, New symbolism for electron shifts in resonance theory. II. New arrow symbolism for concurrent description of stereospecificities and selection rules in pericyclic electron shifts,
Rept. Res. Inst. Med. Engi., Tokyo Medico-Dental Univ., **7**, 7 (1973).
60. C. Kaneko, S. Yamada, A. Sugimoto, Y. Eguchi, M. Ishikawa, T. Suda, M. Suzuki, S. Kakuta, and S. Sasaki, Synthesis and biological activity of 1 α -hydroxyvitamin D₃,
Steroids, **23**, 75 (1974).
61. C. Kaneko, H. Hasegawa, S. Tanaka, K. Sunayashiki, and S. Yamada, Photochemical reaction of 2-cyanoquinoline 1-oxides in an acidic alcohol. Synthesis of 6-alkoxy-2-cyanoquinolines,
Chem. Lett., **1974**, 133.
62. C. Kaneko, A. Sugimoto, S. Yamada, M. Ishikawa, S. Sasaki, and T. Suda, Hydroboration of steroidal-1,5-dien-3 β -ols: A general procedure for the introduction of a hydroxy group at 1 α -position of the 3-oxygenated steroids,
Chem. Pharm. Bull., **22**, 2101 (1974).
63. C. Kaneko, S. Hayashi, and Y. Kobayashi, Photolysis of 2-(trifluoromethyl)-quinoline 1-oxides and 1-(trifluoromethyl)isoquinoline 2-oxide,
Chem. Pharm. Bull., **22**, 2147 (1974).
64. C. Kaneko, A. Sugimoto, Y. Eguchi, S. Yamada, M. Ishikawa, S. Sasaki, and T. Suda, A new synthetic method of 1 α -hydroxy-7-dehydrocholesterol,
Tetrahedron, **30**, 2701 (1974).
65. H. Sakamoto, A. Sugimoto, and C. Kaneko, Chemical modifications of androsta-1,4-diene-3,17-dione. I. The synthesis of 2 β - and 1 α -hydroxy derivatives of 3 β -hydroxyandrosta-5,7-diene-3,17-dione 17-ethylene ketal,
Chem. Pharm. Bull., **22**, 2903 (1974).

66. C. Kaneko, A. Sugimoto, and S. Tanaka, A facile one-step synthesis of *cis*-2-cyclopentene- and *cis*-2-cyclohexane-1,4-diols from the corresponding cyclodienes,
Synthesis, **1974**, 876.
67. C. Kaneko, New symbolism for electron shifts in electronic theory. III. Applications to some stereospecific thermal reactions,
Rept. Res. Inst. Med. Engi., Tokyo Medico-Dental Univ., **8**, 1 (1974).
68. C. Kaneko, S. Yamada, A. Sugimoto, and M. Ishikawa, Synthesis of 2β -hydroxycholecalciferol [2β -OH- D_3],
Chem. Pharm. Bull., **23**, 1616 (1975).
69. H. Sakamoto, A. Sugimoto, C. Kaneko, T. Suda, and S. Sasaki, Chemical modifications of androsta-1,4-diene-3,17-dione. II. Synthesis of 17-norvitamin D analogues having a hydroxy group at 1α - or 2β -position and biological activity of 1α -hydroxy-17-nor-17,17-ethylenedioxyvitamin D,
Chem. Pharm. Bull., **23**, 1733 (1975).
70. C. Kaneko, S. Yamada, A. Sugimoto, M. Ishikawa, T. Suda, M. Suzuki, and S. Sasaki, Synthesis and biological activity of 2α -hydroxyvitamin D_3 ,
J. Chem. Soc., Perkin Trans. I, **1975**, 1104.
71. S. Yamada, M. Ishikawa, and C. Kaneko, Photochemistry of acridine 10-oxides (1), *Chem. Pharm. Bull.*, **23**, 2818 (1975).
72. Y. Hirooka, M. Hirota, T. Sasaki, H. Wako, S. Taniguchi, M. Abe, C. Kaneko, M. Ishikawa, S. Sasaki, and T. Suda, Effects of 1α -hydroxycholecalciferol in patients with chronic failure,
Bone Metabolism, **8**, 281 (1975).
73. Y. Hirooka, T. Sasaki, M. Hirota, H. Wako, J. Suzuki, C. Kaneko, M. Ishikawa, S. Sasaki, and T. Suda, Curative effects of 1α -OH- D_3 in patients with renal osteodystrophy,
Bone Metabolism, **8**, 286 (1975).
74. M. Hirooka, H. Wako, C. Kaneko, M. Ishikawa, S. Sasaki, and T. Suda, Curative effects of 1α -hydroxycholecalciferol on calcium metabolism and bone disease in patients with chronic renal failure,
J. Nutr. Sci. Vitaminol., **21**, 277 (1975).
75. C. Kaneko and H. Ichikawa, A refinement of resonance and electronic theory. IV. A new structure counting technique of alternant hydrocarbons containing cyclic conjugated system,
Rept. Res. Inst. Med. Engi., Tokyo Medico-Dental Univ., **9**, 1 (1975).

76. E. Hojiro, S. Inoue, A. Sugimoto, and C. Kaneko, No pregnancy-maintaining activity of synthesized delta 5-steroids, $1\alpha,3\beta$ -dihydroxypregn-5-en-20-one and $2\alpha,3\beta$ -dihydroxypregn-5-en-20-one, in ovariectomized rats, *Rept. Res. Inst. Med. Engi., Tokyo Medico-Dental Univ.*, **9**, 183 (1975).
77. C. Kaneko and R. Kitamura, Photochemical ring-contraction reactions of benz[d]-3,1-oxazepines having no substituent at the 5-position to indole-3-carboxaldehydes, *Heterocycles*, **6**, 111 (1977).
78. C. Kaneko and R. Kitamura, Photochemical ring-contraction reactions of quinoline 1-oxides having carboxylic acid function at the 4-position to indole-3-carboxaldehydes via the corresponding oxazepines, *Heterocycles*, **6**, 117 (1977).
79. R. Kitamura, H. Fujii, K. Hashiba, M. Somei, and C. Kaneko, Ring-contraction reactions of methyl benz[d]-3,1-oxazepine 5-carboxylates, *Tetrahedron Lett.*, **1977**, 2911.
80. Y. Tohira, K. Ochi, I. Matsunaga, M. Fukushima, S. Takanashi, K. Hata, C. Kaneko, and T. Suda, Synthesis of 1α -[2- ^3H]hydroxy-vitamin D₃, *Analytical Biochemistry*, **77**, 495 (1977).
81. M. Somei, R. Kitamura, H. Fujii, K. Hashiba, S. Kawai, and C. Kaneko, Photochemical and thermal addition of methanol to 2-phenyl-3,1-benzoxazepine-5-carboxylate: reverse stereo-selectivities in the two reactions, *J. Chem. Soc., Chem. Commun.*, **1977**, 899.
82. K. Ochi, I. Matsunaga, M. Shindo, and C. Kaneko, Synthesis of desmosterol and epidesmosterol from hyodeoxycholic acid, *Steroids*, **30**, 795 (1977).
83. C. Kaneko, R. Hayashi, M. Yamamori, K. Tokumura, and M. Itoh, Photochemical reactions of 6-cyanophenanthridine 5-oxide, *Chem. Pharm. Bull.*, **26**, 2508 (1978).
84. C. Kaneko, M. Yamamori, A. Yamamoto, and R. Hayashi, Irradiation of aromatic amine oxides in dichloromethane in presence of triphenylphosphine: a facile deoxygenation procedure of aromatic amine N-oxides, *Tetrahedron Lett.*, **1978**, 2799.
85. C. Kaneko, H. Fujii, S. Kawai, and M. Somei, Ring closure reaction and mechanism of 3-alkoxy-2-(2-benzamidophenyl)-acrylates to 3-(α -alkoxymethylene)oxindoles, *Chem. Lett.*, **1978**, 1277.

86. C. Kaneko, S. Kawai, and M. Somei, Synthesis of E- and Z-isomer of 3-(α -thioethoxymethylene)oxindole: characterization and relative stability of the two isomers, *Chem. Lett.*, **1978**, 1281.
87. M. Somei, K. Hashiba, F. Yamada, T. Maekawa, T. Kimata, and C. Kaneko, The preparation of 4-methyl-1,3,4,5-tetrahydropyrrolo[4.3.2-*de*]isoquinoline and its conversion into 3,4-disubstituted indoles, *Chem. Lett.*, **1978**, 1245.
88. M. Somei, F. Yamada, and C. Kaneko, A convenient route to 4-alkylaminomethylindole derivatives, *Chem. Lett.*, **1978**, 1249.
89. C. Kaneko, R. Hayashi, H. Fujii, and A. Yamamoto, 3-Sulfolene as an alternative reagent for sulfur dioxide, *Chem. Pharm. Bull.*, **26**, 3582 (1978).
90. K. Ochi, I. Matsunaga, M. Shindo, and C. Kaneko, Synthesis of 1 α ,24(*R*)- and 1 α ,24(*S*)-dihydroxycholesterol from cholic acid derivatives, *Chem. Pharm. Bull.*, **26**, 2386 (1978).
91. K. Ochi, I. Matsunaga, M. Shindo, and C. Kaneko, Synthetic studies of vitamin D₃ analogues from bile acids. Part 2. The convenient synthesis of 25-hydroxycholesterol, *Chem. Pharm. Bull.*, **27**, 252 (1979).
92. C. Kaneko, A. Yamamoto, and M. Gomi, A facile method for the preparation of 4-nitropyridine and -quinoline derivatives: reduction of aromatic amine N-oxides with trimethylphosphite under irradiation, *Heterocycles*, **12**, 227 (1979).
93. M. Somei, F. Yamada, and C. Kaneko, The synthesis of 5-substituted pyrrolo[4.3.2-*de*]isoquinoline derivatives, *Chem. Lett.*, **1979**, 123.
94. K. Ochi, I. Matsunaga, M. Shindo, and C. Kaneko, Synthetic studies of vitamin D₃ analogues from bile acids. Part 2. Syntheses of cholesta-1,4-dien- and -1,4,6-trien-3-ones having a 24-and/or 25-hydroxylated side chain from lithocholic acid, *J. Chem. Soc., Perkin trans. I*, **1979**, 161.
95. K. Ochi, I. Matsunaga, H. Nagano, M. Fukushima, M. Shindo, C. Kaneko, M. Ishikawa, and H. F. DeLuca, Synthetic studies of vitamin D₃ analogues from bile acids. Part 3. Syntheses of 1 α ,25-, 1 α ,24*R*-, and 1 α ,24*S*-dihydroxycholecalciferols from lithocholic acid and their biological activities, *J. Chem. Soc., Perkin Trans. I*, **1979**, 165.

96. C. Kaneko, A. Yamamoto, and M. Hashiba, Ring-contraction reactions of methyl quinoline 1-oxide 5-carboxylates via the corresponding benz[*d*]-1,3-oxazepines. A facile synthesis of methyl indole 4-carboxylate and its derivatives,
Chem. Pharm. Bull., **27**, 946 (1979).
97. K. Tokumura, M. Itoh, and C. Kaneko, A possible oxaziridine intermediate in the photorearrangement reaction of 6-cyanophenanthridine 5-oxide,
Tetrahedron Lett., **1979**, 2027.
98. S. Yamada and C. Kaneko, Synthesis and reaction of dibenz[*c,f*]-1,2-oxazepines,
Tetrahedron, **35**, 1273 (1979).
99. M. Somei, F. Yamada, and C. Kaneko, One step synthesis of 4-ethylamino-methylindole,
Chem. Lett., **1979**, 943.
100. C. Kaneko, T. Naito, M. Hashiba, J. Fujii, and M. Somei, A novel synthesis of ravenine and related alkaloids by means of a photo-rearrangement reaction of 4-alkoxy-2-methylquinoline 1-oxides,
Chem. Pharm. Bull., **27**, 1813 (1979).
101. C. Kaneko, T. Naito, and M. Somei, Synthesis of cyclobuta[*c*]quinolin-3-ones. Intra- and intermolecular photocycloadditions of 4-alkoxy-2-quinolone systems with olefins,
J. Chem. Soc., Chem. Commun., **1979**, 804.
102. C. Kaneko and T. Naito, Intermolecular photochemical cycloaddition of 4-methoxy-2-quinolone with olefins: A regioselective synthesis of 5-substituted cyclobuta[*c*]-2-quinolones,
Chem. Pharm. Bull., **27**, 2254 (1979).
103. S. Kawai and C. Kaneko, Syntheses of methyl 3-alkyl-2-(2-benzamido-phenyl)acrylates and their ring closure to indoline or oxindole derivatives,
Heterocycles, **14**, 47 (1980).
104. C. Kaneko, T. Naito, and M. Ito, Cycloadditions of 1,2-dihydrocyclobuta-[*c*]quinolin-3(4*H*)-ones to olefins: New aza-analogues of ortho-quinodimethanes,
Tetrahedron Lett., **21**, 1645 (1980).
105. C. Kaneko, H. Fujii, S. Kawai, A. Yamamoto, K. Hashiba, T. Kimata, R. Hayashi, and M. Somei. A novel synthesis of substituted indoles by photochemical ring contraction of 3,1-benzoxazepines,
Chem. Pharm. Bull., **28**, 1157 (1980).

106. C. Kaneko, W. Okuda, Y. Karasawa, and M. Somei, A Photochemical synthesis of 4-hydroxyindole,
Chem. Lett., **1980**, 547.
107. M. Somei, Y. Karasawa, and C. Kaneko, Syntheses of 4-alkylindoles from 2-methyl-5-nitroisoquinolinium iodide,
Chem. Lett., **1980**, 813.
108. H. Fujii, K. Shiba, and C. Kaneko, Photocycloadditions of 4-methoxy-2-pyridone to olefins and synthesis of 1,2-dihydrocyclobuta[*c*]pyridin-3(4*H*)-ones,
J. Chem. Soc., Chem. Commun., **1980**, 537.
109. T. Naito and C. Kaneko, A photochemical synthesis of 1,2,3,4,5,6-hexahydro-1-benzazocine-2,6-diones from 4-hydroxy-2-quinolones,
Chem. Pharm. Bull., **28**, 3150 (1980).
110. K. Tokumura, H. Goto, H. Kashiwabara, C. Kaneko, and M. Itoh, Formation and reaction of oxaziridine intermediate in the photochemical reaction of 6-cyanophenanthridine 5-oxide at low temperature,
J. Am. Chem. Soc., **102**, 5643 (1980).
111. C. Kaneko, K. Shiba, H. Fujii, and Y. Momose, Syntheses and ring-opening reactions of 5-alkoxy- and 5-acetoxy-3-oxo-2-azabicyclo[2.2.0]hex-5-enes,
J. Chem. Soc., Chem. Commun., **1980**, 1177.
112. M. Somei, Y. Karasawa, T. Shoda, and C. Kaneko, A facile route to 5-nitroisocoumarines and methyl indole-4-carboxylate,
Chem. Pharm. Bull., **29**, 249 (1981).
113. C. Kaneko, K. Shiba, and H. Fujii, Ultraviolet absorption spectra of 4-amino- and 4-dimethylaminopyridines: Effects of concentration and solvent,
Heterocycles, **15**, 1195 (1981).
114. C. Kaneko, T. Naito, and N. Nakayama, 1,2-Dihydrocyclobuta[*c*]quinoline,
Chem. Pharm. Bull., **29**, 593 (1981).
115. T. Naito, N. Nakayama, and C. Kaneko, A general synthetic method of 1,2-dihydrocyclobuta[*c*]coumarin and its 1-substituted derivatives,
Chem. Lett., **1981**, 423.
116. M. Somei, S. Inoue, S. Tokutake, F. Yamada, and C. Kaneko, Syntheses of substituted indoles carrying an amino, nitro, methoxycarbonyl, or benzyloxy group at the 4-position and their 1-hydroxy derivatives,
Chem. Pharm. Bull., **29**, 726 (1981).

117. M. Somei, F. Yamada, Y. Karasawa, and C. Kaneko, Total synthesis of ergot alkaloid, (+)-6,7-secoagroclavine,
Chem. Lett., **1981**, 615.
118. M. Somei, Y. Karasawa, and C. Kaneko, Selective mono-alkylation of carbon nucleophiles with gramine,
Heterocycles, **16**, 941 (1981).
119. T. Naito and C. Kaneko, Syntheses and reactions of 1,2-dihydrocyclobuta[c]-isoquinolin-3(4*H*)-ones, *Tetrahedron Lett.*, **22**, 2671 (1981).
120. C. Kaneko, H. Fujii, S. Kawai, K. Hashiba, Y. Karasawa, M. Wakai, R. Hayashi, and M. Somei, Photochemical and thermal Michael reactions of alcohols with methyl 2-phenyl-3,1-benzoxazepine-5-carboxylate and its derivatives,
Chem. Pharm. Bull., **30**, 74 (1982).
121. C. Kaneko, T. Naito, Y. Momose, H. Fujii, N. Nakayama, and I. Koizumi, Synthesis of 1,2-dihydrocyclobuta[c]pyridine and -quinoline and their 3-substituted derivatives,
Chem. Pharm. Bull., **30**, 519 (1982).
122. C. Kaneko, H. Fujii, and K. Kato, Photochemistry of 6-chloro-2-pyridones: The first example for electrocyclic ring opening of the pyridone ring system,
Heterocycles, **17**, 395 (1982).
123. C. Kaneko and Y. Momose, Nucleophilic substitution reactions of 2-chloropyridine with polymethylenediols using phase-transfer catalysis: Selective formation of mono- or diethers,
Synthesis, **1982**, 465.
124. C. Kaneko, T. Naito, and C. Miwa, A Method of synthesizing 8-oxoproto-berberine derivatives involving a novel photo-arylation of 3-chloro-1-iso-quinolones,
Chem. Pharm. Bull., **30**, 752 (1982).
125. T. Naito, Y. Momose, and C. Kaneko, A novel photochemical prenylation reaction of heteroaromatics involving an enone function in their ring system,
Chem. Pharm. Bull., **30**, 1531 (1982).
126. C. Kaneko and N. Shimomura, Photocycloaddition of 6-chloro-1,3-dimethyl-uracil to alkenes: synthesis of 1,2-dihydrocyclobuta[d]pyrimidine-4,6(3*H*, 5*H*)-diones,
Tetrahedron Lett., **23**, 2571 (1982).
127. C. Kaneko, Y. Momose, and T. Naito, Photochemical synthesis of 1*H*-pyrano[3,4-*c*]pyridin-8(7*H*)-one and related compounds,
Chem. Lett., **1982**, 1361.

128. C. Kaneko, T. Naito, and C. Miwa, Photochemical ring opening reactions of 3-alkoxyisocoumarin and 3-halo-1-isoquinolone, *Heterocycles*, **19**, 2275 (1982).
129. T. Naito and C. Kaneko, Introduction of a functionalized carbon chain at the 3-position of 4-methoxy-2-quinolones via photochemical 2+2 cycloaddition to alkynes and the synthesis of (+)-edulinine, *Chem. Pharm. Bull.*, **31**, 366 (1983).
130. C. Kaneko, T. Naito, and T. Ohashi, Photchemical reactions of 4-methoxy-1-thiocoumarin and synthesis of 1,2-dihydrocyclobuta[*c*][1]benzothiopyran-3(3*H*)-ones, *Heterocycles*, **20**, 1275 (1983).
131. C. Kaneko, N. Shimomura, Y. Momose, and T. Naito, Photocycloaddition of 4-methoxyquinolin-2(1*H*)-one and related compounds to allene: Synthesis of 1-methylene-1,2-dihydrocyclobuta[*c*]quinolin-3(4*H*)-one and related compounds, *Chem. Lett.*, **1983**, 1239.
132. C. Kaneko, T. Naito, Y. Momose, N. Shimomura, T. Ohashi, and M. Somei, A novel three-carbon annelation method for pyridine derivatives, *Chem. Pharm. Bull.*, **31**, 2168 (1983).
133. M. Somei, S. Tokutake, and C. Kaneko, Synthetic study directed toward cyclopiazonic acid, *Chem. Pharm. Bull.*, **31**, 2153 (1983).
134. M. Somei, H. Sato, and C. Kaneko, A short step synthesis of lespedamine, *Heterocycles*, **20**, 1797 (1983).
135. M. Somei, T. Hasegawa, and C. Kaneko, A facile synthesis of 4-substituted 3-formylindoles, *Heterocycles*, **20**, 1983 (1983).
136. C. Kaneko, Y. Momose, T. Maeda, T. Naito, and M. Somei, Reactions of 6-methoxy-3-azabicyclo[4.2.0]octan-2-one and its 7-substituted derivatives, *Heterocycles*, **20**, 2169 (1983).
137. C. Kaneko, T. Naito, and A. Saito, Three-step synthesis of 4-(2'-hydroxyethyl)-azetidin-2-one and its substituted derivatives from 4-acetoxy-2-pyridones, *Tetrahedron Lett.*, **25**, 1591 (1984).
138. T. Chiba, T. Kato, A. Yoshida, R. Moroi, N. Shimomura, Y. Momose, T. Naito, and C. Kaneko, Photoaddition of 2-quinolone and 2-pyridone derivatives to diketene: on the regio-selectivity of the photoaddition, *Chem. Pharm. Bull.*, **32**, 4707 (1984).

139. T. Naito, Y. Makita, and C. Kaneko, Photochemical 2+2 cycloaddition of 2-chloro-1,4-naphthoquinone to alkenes: A novel synthesis of 1,2-dihydro-cyclobuta[*b*]naphthalene-3,8-diones,
Chem. Lett., **1984**, 921.
140. M. Somei, F. Yamada, M. Kunimoto, and C. Kaneko, A practical one-pot synthesis of 4-alkoxy-3-formylindoles,
Heterocycles, **22**, 797 (1984).
141. M. Sato, H. Ogasawara, K. Sekiguchi, and C. Kaneko, Synthesis of 1,3-dioxin-4-ones unsubstituted at the 5- and 6-positions and their photoaddition to alkenes,
Heterocycles, **22**, 2563 (1984).
142. N. Katagiri, M. Sato, T. Naito, M. Muto, T. Sakamoto, S. Saikawa, and C. Kaneko, rel-(1*R*,4*R*,5*S*)-5-Hydroxy-3-oxo-2-azabicyclo[2.2.0]hexane, a stable synthetic equivalent of 4-(2-oxoethyl)azetidin-2-one, *Tetrahedron Lett.*, **25**, 5665 (1984).
143. J. Bastard, D. K. Duc, M. Fetizon, M. J. Francis, P. K. Grant, R. T. Weavers, C. Kaneko, G. V. Baddeley, J. Bernassau, I. R. Burfitt, P. M. Wovkulich, and E. Wenkert, CMR spectroscopy of labdanic diterpenes and related substances,
J. Natural Products, **47**, 592 (1984).
144. T. Chiba, J. Sakaki, and C. Kaneko, Synthesis of peptide using either N-acetoacetyl amino acids or N-(1,3-dioxin-5-ylidene methyl) amino acids,
Peptide Chemistry, Protein Research Foundation, Osaka, **79** (1985).
145. T. Chiba, J. Sakaki, T. Takahashi, and C. Kaneko, A short synthesis of 7-oxo-4-thia-1-azabicyclo[3.2.0]heptane: A basic skeleton of penicillin-type β -lactams,
Chem. Lett., **1985**, 659.
146. M. Somei, H. Sato, N. Komura, and C. Kaneko, Synthetic study for 1-methoxyindoles and 1-methoxy-2-oxindoles,
Heterocycles, **23**, 1101 (1985).
147. C. Kaneko, T. Chiba, K. Kasai, and C. Miwa, A short synthesis of rutecarpine and/or vasicolinone from 2-chloro-3-(indol-3-yl)ethylquinazolin-4(3*H*)-one: Evidence for the participation of the spiro intermediate,
Heterocycles, **23**, 1385 (1985).
148. M. Sato, K. Sekiguchi, H. Ogasawara, and C. Kaneko, Synthesis of 5,6-unsubstituted 1,3-dioxin-4-ones,
Synthesis, **1985**, 224.

149. N. Katagiri, M. Sato, S. Saikawa, T. Sakamoto, M. Muto, and C. Kaneko, 2-Azabicyclo[2.2.0]hexane-3,5-dione, a new building block for carbapenem nuclei,
J. Chem. Soc., Chem. Commun., **1985**, 189.
150. M. Sato, K. Sekiguchi, and C. Kaneko, A short synthesis of cis-2-formyl-5-hydroxy-2-cyclopentene-1-acetic acid γ -lactone: The key intermediate of prostaglandin synthesis,
Chem. Lett., **1985**, 1057.
151. T. Chiba, T. Takahashi, J. Sakaki, and C. Kaneko, A simple method for synthesizing 7-oxo-4-thia-1-azabicyclo[3.2.0]-heptane and its 6-methyl derivatives from ethyl cyanoacetate,
Chem. Pharm. Bull., **33**, 3046 (1985).
152. T. Chiba, T. Takahashi, and C. Kaneko, Synthesis of pyridobenzazoles,
Chem. Pharm. Bull., **33**, 4002 (1985).
153. N. Katagiri, T. Haneda, and C. Kaneko, Synthesis of optically active β -lactams using the photochemical reaction of 3-deazauridines,
Nucleic Acids Research, Symp. Ser., **16**, 113 (1985).
154. C. Kaneko, N. Katagiri, K. Uchiyama, and T. Yamada, Photochemical [2+2]-cycloreversion reactions of 1,2,2a,8b-tetrahydrocyclobuta[c]isoquinolin-4(3H)-ones,
Chem. Pharm. Bull., **33**, 4160 (1985).
155. T. Naito and C. Kaneko, 1,2-Dihydrocyclobut[c]isoquinoline,
Chem. Pharm. Bull., **33**, 5328 (1985).
156. M. Sato, N. Yoneda, and C. Kaneko, 2,2-Dimethyl-1,3-dioxin-4-one as a synthetic equivalent of formylketene: synthesis of heterocyclic compounds,
Chem. Pharm. Bull., **34**, 621 (1986).
157. T. Naito, Y. Makita, S. Yazaki, and C. Kaneko, 1,2-Dihydrocyclobuta[b]-naphthalene-3,8-diones: Synthesis by photochemical means and their reactions via 2,3-dimethylene-1,4-dioxo-1,2,3,4-tetrahydronaphthalenes,
Chem. Pharm. Bull., **34**, 1505 (1986).
158. N. Katagiri, T. Haneda, H. Watanabe, and C. Kaneko, Doubts about the Libit's method for the synthesis of the 'Corey' intermediate using photocycloaddition as a key step,
Chem. Pharm. Bull., **34**, 2646 (1986).

159. C. Kaneko, N. Katagiri, M. Sato, M. Muto, T. Sakamoto, S. Saikawa, T. Naito, and A. Saito, rel-(1*R*,4*R*,5*S*)-5-Hydroxy-2-azabicyclo-[2.2.0]-hexan-3-one and its derivatives: synthesis and transformation to azetidin-2-ones,
J. Chem. Soc. Perkin Trans. I, **1986**, 1283.
160. N. Katagiri, M. Sato, N. Yoneda, S. Saikawa, T. Sakamoto, M. Muto, and C. Kaneko, 2-Azabicyclo[2.2.0]hexane-3,5-dione and its derivatives: synthesis and transformation to azetidin-2-ones,
J. Chem. Soc. Perkin Trans. I, **1986**, 1289.
161. C. Kaneko, K. Uchiyama, M. Sato, and N. Katagiri, Novel annelation method to pyridine and isoquinoline by photochemical means,
Chem. Pharm. Bull., **34**, 3658 (1986).
162. C. Kaneko, K. Kasai, N. Katagiri, and T. Chiba, Photoaddition of 4(3*H*)-quinazolinone derivatives to olefins: effects of the 2-substituent,
Chem. Pharm. Bull., **34**, 3672 (1986).
163. N. Katagiri, T. Haneda, S. Tomisawa, and C. Kaneko, A novel synthesis of carbocyclic C-nucleoside precursors by nonoxidative C-C bond fission,
Nucleic Acids Research, Symp. Ser., **17**, 1 (1986).
164. T. Chiba, J. Sakaki, and C. Kaneko, Reaction of methoxymethylene Meldrum's acid with amino acid derivatives,
Yakugaku Zasshi, **106**, 154 (1986).
165. N. Katagiri, K. Kasai, and C. Kaneko, Synthesis of 4-trifluoromethylazetizin-2-ones by a novel 2+2 photocycloaddition of 3-trifluoromethylquinoxalin-2-one or -1,4-benzoxazin-2-one to ketene,
Chem. Pharm. Bull., **34**, 4429 (1986).
166. M. Sato, N. Yoneda, N. Katagiri, H. Watanabe, and C. Kaneko, General and versatile synthetic method of formylacetic esters,
Synthesis, **1986**, 672.
167. M. Sato, N. Yoneda, and C. Kaneko, Synthesis of 5-halo-1,3-dioxin-4-ones and their conversion to 5-alkyl derivatives,
Chem. Pharm. Bull., **34**, 4577 (1986).
168. N. Katagiri, T. Haneda, and C. Kaneko, Facile synthesis of the carbocyclic analogue of β -ribofuranosylmalonate, A new synthon for carbocyclic C-nucleoside formation by retrograde aldol C-C bond fission,
Chem. Pharm. Bull., **34**, 4875 (1986).

169. M. Sato, N. Katagiri, M. Muto, T. Haneda, and C. Kaneko, Practicable synthesis of (1*R*,4*R*)-5-(1-menthoxy)-2-azabicyclo[2.2.0]hex-5-en-3-one and its derivatives: New building blocks for carbapenem nuclei, *Tetrahedron Lett.*, **27**, 6091 (1986).
170. C. Kaneko, K. Kasai, H. Watanabe, and N. Katagiri, 2+2 Photocycloaddition of 3-trifluoromethyl derivatives of quinoxalin-2(1*H*)-one and 1,4-benzoxazin-2-one to olefins: Effects of the trifluoromethyl group, *Chem. Pharm. Bull.*, **34**, 4955 (1986).
171. C. Kaneko, T. Suzuki, M. Sato, and T. Naito, Intramolecular photocycloaddition of 4-(*ω*-alkenyloxy)quinolin-2(1*H*)-one: Synthesis of 2-substituted cyclobuta[*c*]quinolin-3(4*H*)-ones, *Chem. Pharm. Bull.*, **35**, 112 (1987).
172. M. Sato, K. Kawakami, and C. Kaneko, A New method for introducing the 2,2-dichloroethyl group at the 3-position of the 2-quinolone system, and the synthesis of dictamine, *Chem. Pharm. Bull.*, **35**, 1319 (1987).
173. T. Chiba, J. Sakaki, T. Takahashi, K. Aoki, A. Kamiyama, C. Kaneko, and (in part) M. Sato, General method for the synthesis of penam and cepham and their substituted derivatives, *J. Chem. Soc., Perkin Trans. I*, **1987**, 1845.
174. M. Sato, H. Ogasawara, K. Takayama, and C. Kaneko, A novel synthetic method of lactams from 1,3-dioxin-4-ones via intramolecular ketene trapping, *Heterocycles*, **26**, 2611 (1987).
175. M. Sato, T. Suzuki, H. Morisawa, S. Fujita, N. Inukai, and C. Kaneko, 2-Cyano-1,2-dihydrocyclobuta[*a*]naphthalene and its derivatives: Synthesis and reaction with olefins, *Chem. Pharm. Bull.*, **35**, 3647 (1987).
176. M. Sato, K. Takayama, T. Furuya, N. Inukai, and C. Kaneko, Photocycloaddition, methylation, and catalytic reduction of chiral spirocyclic 1,3-dioxin-4-ones: Different stereofacial selectivity and its explanation, *Chem. Pharm. Bull.*, **35**, 3971 (1987).
177. T. Chiba, T. Ishizawa, J. Sakaki, and C. Kaneko, Reduction of oximes of α -substituted β -ketoesters with sodium cyanoborohydride: stereoselective synthesis of 3,4-*cis*-substituted azetidin-2-ones, *Chem. Pharm. Bull.*, **35**, 4672 (1987).

178. N. Katagiri, M. Tomura, H. Haneda, and C. Kaneko, Stereospecific synthesis of carbocyclic analogue of oxazinomycin by retrograde aldol C-C bond fission under reductive conditions,
J. Chem. Soc., Chem. Commun., **1987**, 1422.
179. N. Katagiri, H. Akatsuka, T. Haneda, and C. Kaneko, Diels-Alder reaction of dimethyl acetoxymethylenemalonate with 3,4-dialkoxyfurans and the utility of its adducts in the stereospecific synthesis of lyxopyranosyl C-glycosides,
Chem. Lett., **1987**, 2257.
180. N. Katagiri, T. Haneda, E. Hayasaka, N. Watanabe, and C. Kaneko, Di-*l*-menthyl (acetoxymethylene)malonate, a new chiral dienophile: Enantioselective route to carbocyclic analogues of C-nucleoside,
J. Org. Chem., **53**, 226 (1988).
181. N. Katagiri, H. Akatsuka, and C. Kaneko, Asymmetric synthesis of C-nucleosides through Diels-Alder reaction of furan with di-*(l*-menthyl) acetoxymethylenemalonate,
Nucleic Acids Research, Symp. Ser., **20**, 29 (1988).
182. N. Katagiri, H. Watanabe, and C. Kaneko, Synthesis of 6-trifluoromethyl-1,2,4-triazines and -1,2,4-triazin-5-ones and their pericyclic reactions with olefins,
Chem. Pharm. Bull., **36**, 3354 (1988).
183. N. Katagiri, T. Haneda, N. Watanabe, E. Hayasaka, and C. Kaneko, Titanium tetrachloride-mediated Diels-Alder reactions of cyclopentadiene with di-*l*-menthyl methylenemalonate and its acetoxy derivative as new chiral dienophiles for asymmetric induction,
Chem. Pharm. Bull., **36**, 3867 (1988).
184. N. Katagiri, H. Akatsuka, C. Kaneko, and A. Sera, High-pressure mediated Diels-Alder reaction of di-*l*-menthyl acetoxymethylenemalonate with furan: Enantioselective synthesis of β -D-furanosylmalonate, a prospective synthon for C-nucleoside,
Tetrahedron Lett., **29**, 5397 (1988).
185. A. Sera, M. Ohara, T. Kubo, K. Itoh, H. Yamada, Y. Mikata, C. Kaneko, and N. Katagiri, High pressure mediated Diels-Alder reaction of furan with dialkyl(acetoxymethylene)malonate,
J. Org. Chem., **53**, 5460 (1988).
186. N. Katagiri, H. Akatsuka, T. Haneda, C. Kaneko, and A. Sera, Highly stereoselective total synthesis of β -ribofuranosylmalonate,
J. Org. Chem., **53**, 5464 (1988).

187. M. Sato, K. Kawakami, T. Suzuki, H. Morisawa, S. Nishimura, and C. Kaneko, 6-Hydroxy-1,2-dihydrocyclobuta[*a*]naphthalene-2-carboxylic acid: a new synthon for A,B-ring-aromatized steroids, *Steroids*, **53**, 739 (1989).
188. M. Sato, N. Katagiri, K. Takayama, M. Hirose, and C. Kaneko, 4-Oxo-1,3-dioxin-5-carboxylic acids and related compounds: Versatile synthetic intermediates for the syntheses of 6-unsubstituted six-membered heterocyclic compounds, *Chem. Pharm. Bull.*, **37**, 665 (1989).
189. N. Katagiri, M. Muto, and C. Kaneko, Stereospecific synthesis of carbocyclic nucleosides from 2-azabicyclo[2.2.1]heptan-3-ones via sodium borohydride mediated carbon-nitrogen bond cleavage, *Tetrahedron Lett.*, **30**, 1645 (1989).
190. N. Katagiri, M. Hirose, M. Sato, and C. Kaneko, Menthyl 2,4-dioxo-1,3-oxazine-5-carboxylates: New dienophiles for the asymmetric Diels-Alder reaction directed towards synthesis of carbocyclic C-nucleosides, *Chem. Pharm. Bull.*, **37**, 933 (1989).
191. T. Chiba, J. Sakaki, S. Kobayashi, T. Furuya, N. Inukai, and C. Kaneko, Synthesis of chiral penam-3-carboxylic acid and its substituted derivatives, *Chem. Pharm. Bull.*, **37**, 877 (1989).
192. M. Sato, K. Takayama, and C. Kaneko, Chiral spirocyclic 4-oxo-1,3-dioxin-5-carboxylates: Asymmetric synthesis of carbocyclic C-nucleosides precursors, *Chem. Pharm. Bull.*, **37**, 2615 (1989).
193. J. Sakaki, S. Kobayashi, M. Sato, and C. Kaneko, Synthesis of azetidin-2-ones from 1,3-dioxin-4-ones via 3-hydroxycarboxamides, *Chem. Pharm. Bull.*, **37**, 2952 (1989).
194. M. Sato, H. Hisamichi, C. Kaneko, N. Suzaki, T. Furuya, and N. Inikai, Chiral spirocyclic 5-arylmethylene-1,3-dioxine-4,6-diones as novel synthons for enantiomerically pure 2-arylcylopane-1,1-dicarboxylates, *Tetrahedron Lett.*, **30**, 5281 (1989).
195. M. Sato, C. Orii, J. Sakaki, and C. Kaneko, (6*S*,7*S*,10*R*)- and (6*R*,7*S*,10*R*)-7-Isopropyl-10-methyl-4-oxo-1,5-dioxo-spiro[5.5]undec-2-enes having an electron-withdrawing substituent at 2-position: synthesis and use in asymmetric Diels-Alder reactions *J. Chem. Soc., Chem. Commun.*, **1989**, 1435.

196. M. Sato, K. Takayama, K. Sekiguchi, Y. Abe, T. Furuya, N. Inukai, and C. Kaneko, Synthesis of optically active cyclopenta[*c*]pyran-4-carboxylic acid derivatives, building blocks for iridoids: An attractive alternative to asymmetric de Mayo reaction,
Chem. Lett., **1989**, 1925.
197. N. Katagiri, M. Muto, and C. Kaneko, Novel synthesis of carbocyclic nucleosides from 2-azabicyclo[2.2.1]heptanes via the reductive N₂-C₃ cleavage reaction as a key step,
Nucleic Acids Research, Symp. Ser., **21**, 75 (1989).
198. N. Katagiri, N. Watanabe, and C. Kaneko, Diels-Alder reaction of di-*l*-menthyl acetoxymethylenemalonate with cyclopenta-diene: Effects of high-pressure and catalysts upon asymmetric induction,
Chem. Pharm. Bull., **38**, 69 (1990).
199. M. Sato, J. Sakaki, K. Takayama, S. Kobayashi, M. Suzuki, and C. Kaneko, A novel synthetic method for tetronic acids from 1,3-dioxin-4-ones via intra- or intermolecular ketene trapping
Chem. Pharm. Bull., **38**, 94 (1990).
200. N. Katagiri, H. Sato, and C. Kaneko, Highly stereoselective synthesis of carbocyclic analogues of oxetanocin,
Chem. Pharm. Bull., **38**, 288 (1990).
201. M. Sato, K. Takayama, Y. Abe, T. Furuya, N. Inukai, and C. Kaneko, (6*S*,7*S*,10*R*)- and (6*R*,7*S*,10*R*)-7-Isopropyl-10-methyl-4-oxo-1,5-dioxaspiro [5.5]undec-2-enes: Synthesis and their use in enantiomerically pure Corey lactone analogue synthesis,
Chem. Pharm. Bull., **38**, 336 (1990).
202. N. Katagiri, M. Nomura, and C. Kaneko, Dimethyl rel-(1*S*,2*S*,3*R*,4*R*)-2-(2,3-epoxy-4-hydroxymethylcyclopent-1-yl)-malonate as a novel building block for carbocyclic arabinosyl nucleosides,
Heterocycles, **30**, 211 (1990).
203. M. Sato, Y. Abe, C. Kaneko, T. Furuya, and N. Inukai, Photo[2+2]cyclo-additions of chiral spirocyclic dioxinones having ω -alkenyl groups at 3-position,
Heterocycles, **30**, 217 (1990).
204. M. Sato, Y. Abe, and C. Kaneko, 2,6-Disubstituted 1,3-dioxin-4-ones: diastereofacial selectivity in pericyclic reactions and its explanation,
J. Chem. Soc., Perkin Trans. I, **1990**, 1779.

205. J. Sakaki, S. Kobayashi, M. Sato, and C. Kaneko, A novel synthesis of β -ketothioesters,
Chem. Pharm. Bull., **38**, 2262 (1990).
206. J. Sakaki, M. Suzuki, S. Kobayashi, M. Sato, and C. Kaneko, Baker's yeast mediated bioreduction of prochiral ketones having 6-(4-oxo-1,3-dioxinyl) group,
Chem. Lett., **1990**, 901.
207. M. Sato, H. Hisamichi, N. Kitazawa, C. Kaneko, T. Furuya, N. Suzaki, and N. Inukai, Chiral spirocyclic 1,3-oxazine-4,6-diones as novel synthons for enantiomerically pure compounds
Tetrahedron Lett., **31**, 3605(1990).
208. N. Katagiri, S. Ise, N. Watanabe, and C. Kaneko, Dialkyl 1,3-dithiethan (and -dithiolan)-2-ylidenemalonate S-oxides: equivalents to dialkoxycarbonyl ketenes,
Chem. Pharm. Bull., **38**, 3242 (1990).
209. M. Sato, K. Kano, N. Kitazawa, H. Hisamichi, and C. Kaneko, Novel asymmetric Diels-Alder reaction using chiral spirocyclic 5-methylene-1,3-dioxane-4,6-diones having *l*-menthone at the 2-position as the heterodienes,
Heterocycles, **31**, 1229 (1990).
210. N. Katagiri, N. Watanabe, J. Sakaki, T. Kawai, and C. Kaneko, 1,3-Dipolar cycloaddition of di-*l*-menthyl benzylidenemalonate to (*Z*)-*N*, α -diphenyl-nitrone: Explanation for diastereoselectivity,
Tetrahedron Lett., **31**, 4633 (1990).
211. T. Chiba, Y. Takada, C. Kaneko, F. Kiuchi, and Y. Tsuda, Stereochemical pathways of 1-isoquinolone-chloroethylene photo[2+2]cycloaddition: Determination of regio- and stereostructures of the products and explanation for their formation,
Chem. Pharm. Bull., **38**, 3317 (1990).
212. T. Chiba, Y. Takada, T. Naito, and C. Kaneko, Novel methods for introducing two carbon unit at either 3- or 4-position of the isoquinolone ring by means of photo[2+2]cycloaddition reaction,
Chem. Pharm. Bull., **38**, 2335 (1990).
213. N. Katagiri, M. Nomura, H. Sato, and C. Kaneko, Highly stereoselective synthesis of carbocyclic oxetanocin and its related compounds from bicycloamides,
Nucleic Acids, Symp. Ser., **22**, 129 (1990).

214. N. Katagiri, M. Yamamoto, and C. Kaneko, 3-Acetoxy-2-dimethyl-phosphonoacrylates: New dienophiles and their use for the synthesis of carbocyclic C-nucleoside precursors by the aid of RRA reaction, *Chem. Lett.*, **1990**, 1855.
215. M. Sato, J. Sakaki, Y. Sugita, T. Nakano, and C. Kaneko, Highly enantioselective reduction of acetoacetylated Meldrum's acid with fermenting Baker's yeast, *Tetrahedron Lett.*, **31**, 7463 (1990).
216. N. Katagiri, H. Sato, and C. Kaneko, Synthesis of lower methylene homologues of carbocyclic oxetanocin, *Chem. Pharm. Bull.*, **38**, 3184 (1990).
217. M. Sato, Y. Abe, H. Ohuchi, and C. Kaneko, Regio- and stereocontrol in the photo[2+2]cycloaddition of 1,3-dioxin-4-ones to alkenes. Use of esters as the connecting unit in the intramolecular valiant, *Heterocycles*, **31**, 2115 (1990).
218. M. Sato, Y. Abe, K. Takayama, K. Sekiguchi, C. Kaneko, N. Inoue, T. Furuya, and N. Inukai, Asymmetric de Mayo reactions using chiral spirocyclic dioxinones, *J. Heterocyclic Chem.*, **28**, 241 (1991).
219. N. Katagiri, M. Muto, M. Nomura, T. Higashikawa, and C. Kaneko, Synthesis of carbocyclic nucleosides from 2-azabicyclo[2.2.1]heptan-3-ones: Sodium borohydride mediated carbon-nitrogen bond cleavage of five- and six-membered lactams, *Chem. Pharm. Bull.*, **39**, 1112 (1991).
220. N. Katagiri, M. Nomura, M. Muto, and C. Kaneko, Carbocyclic analogues of thymidine and related compounds from 2-azabicyclo[2.2.1]hept-5-en-3-ones, *Chem. Pharm. Bull.*, **39**, 1682 (1991).
221. J. Sakaki, Y. Sugita, M. Sato, and C. Kaneko, Enantioselective synthesis of (S)- and (R)-6-(2,3-dihydroxypropyl)-1,3-dioxin-4-ones: the versatile building blocks of four- and six-carbon backbones, *J. Chem. Soc., Chem. Commun.*, **1991**, 434.
222. M. Sato, C. Kaneko, T. Iwaoka, Y. Kobayashi, and T. Iida, Synthesis of 4-fluoro-1,3-dioxin-4-ones: the versatile building blocks of fluorinated compounds, *J. Chem. Soc., Chem. Commun.*, **1991**, 699.

223. J. Sakaki, H. Sakoda, Y. Sugita, M. Sato, and C. Kaneko, Lipase-catalyzed asymmetric synthesis of 6-(3-chloro-2-hydroxypropyl)-1,3-dioxin-4-ones and their conversion to chiral 5,6-epoxyhexanoate, *Tetrahedron: Asymmetry*, **2**, 343 (1991).
224. M. Sato, J. Sakaki, Y. Sugita, S. Yasuda, H. Sakoda, and C. Kaneko, Two lactone formation reactions from 1,3-dioxin-4-ones having hydroxyalkyl group at the 6-position: difference in ring opening and closure, *Tetrahedron*, **47**, 5689 (1991).
225. J. Sakaki, Y. Sugita, M. Sato, and C. Kaneko, Synthesis of 1,3-dioxin-4-ones having chiral hydroxyalkyl groups at the 6-position by means of baker's yeast reduction and their uses for EPC synthesis, *Tetrahedron*, **47**, 6197 (1991).
226. N. Katagiri, M. Nomura, H. Sato, C. Tameda, A. Kurimoto, S. Arai, A. Toyota, and C. Kaneko, Synthesis of purine bases having a di(hydroxymethyl)-cyclopentenyl group by means of high-pressure reaction and their anti-HIV activity, *Nucleic Acids, Symp. Ser.*, **25**, 5 (1991).
227. T. Kimura, J. Kuze, K. Watanabe, I. Yamamoto, T. Ueda, N. Katagiri, C. Kaneko, Y. Tateoka, and S. Kondo, The nucleoside derivatives possessing sedative and hypnotic effects, *Nucleic Acids, Symp. Ser.*, **25**, 95 (1991).
228. M. Sato, N. Kitazawa, S. Nagashima, C. Kaneko, N. Inoue, and T. Furuya, Chiral spirocyclic (Z)-5-arylmethylene-1,3-oxazine-4,6-diones: new chiral heterodienes, *Tetrahedron*, **47**, 7271 (1991).
229. N. Katagiri, M. Yamamoto, T. Iwaoka, and C. Kaneko, Chiral 2-vinyl-1,3,2-oxazaphospholidin-2-ones: new dienophiles for asymmetric Diels-Alder reactions, *J. Chem. Soc., Chem. Commun.*, **1991**, 1429.
230. T. Iwaoka, M. Sato, and C. Kaneko, Synthesis of 1,3-dioxin-4-ones having a trifluoromethyl group at the 5-position: versatile building blocks for trifluoromethylated compounds, *J. Chem. Soc., Chem. Commun.*, **1991**, 1241.
231. N. Katagiri, M. Nomura, H. Sato, C. Kaneko, K. Yusa, and T. Tsuruo, Synthesis and anti-HIV activity of 9-(*c*-4,*t*-5-bishydroxymethylcyclopent-2-en-*r*-1-yl)-9*H*-adenine, *J. Med. Chem.*, **35**, 1882 (1992).

232. M. Sato, H. Ohuchi, Y. Abe, and C. Kaneko, Regio-, stereo-, and enantio-selective synthesis of cyclobutanol by means of photoaddition of photo-addition of 1,3-dioxin-4-one and lipase-catalyzed acetylation, *Tetrahedron: Asymmetry*, **3**, 313 (1992).
233. N. Katagiri, H. Sato, and C. Kaneko, Synthesis and biological evaluation of 9-(*t*-2,*c*-3-bishydroxymethyl-*r*-1-cyclopropyl-methyl)-9*H*-adenine (A lower methylene homolog of carbocyclic oxetanocin) and related compounds, *Nucleosides & Nucleotides*, **11**, 707 (1992).
234. A. Toyota, N. Katagiri, and C. Kaneko, The alkylation of 6-chloropurine by alcohols by Mitsunobu reaction, *Chem. Pharm. Bull.*, **40**, 1039 (1992).
235. M. Sato, N. Kitazawa, and C. Kaneko, Synthesis of optically pure fluoromalonamic acids by means of asymmetric fluorination of chiral 1,3-oxazin-4,6-diones, *Heterocycles*, **33**, 105 (1992).
236. T. Iwaoka, T. Murohashi, M. Sato, and C. Kaneko, Synthesis of 5-fluoro-1,3-dioxin-4-ones: novel alternatives of α -fluorinated acyl ketenes, *Synthesis*, **1992**, 977.
237. N. Katagiri, A. Kurimoto, and C. Kaneko, The difference in effects between high pressure and LiClO_4 for the Diels-Alder reaction of cyclopentadiene with methylenemalonates or O-acetylisomalonates, *Chem. Pharm. Bull.*, **40**, 1737 (1992).
238. T. Iwaoka, T. Murohashi, N. Katagiri, M. Sato, and C. Kaneko, 5-Trifluoromethyl-1,3-dioxin-4-ones as versatile building blocks for trifluoromethylated aliphatic compounds, *J. Chem. Soc., Perkin Trans. I*, **1992**, 1393.
239. M. Sato, N. Kitazawa, S. Nagashima, K. Kano, and C. Kaneko, Chiral 2-methyl-2-phenyl-1,3-oxazine-4,6-diones. Novel building blocks for the synthesis of enantiomerically pure compounds, *Chem. Lett.*, **1992**, 485.
240. N. Katagiri, T. Shiraishi, H. Sato, A. Toyota, C. Kaneko, K. Yusa, T. Ohhara, and T. Tsuruo, Resolution of 9-(*c*-4,*t*-5-bishydroxymethylcyclopent-2-en-*r*-1-yl)-9*H*-adenine (BCA) and selective inhibition of human immunodeficiency virus by the (-) enantiomer, *Biochem. Biophys. Res. Commun.*, **184**, 154 (1992).

241. N. Katagiri, H. Sato, S. Arai, A. Toyota, and C. Kaneko, A novel and efficient synthesis of 9-(*c*-4,*t*-5-bishydroxymethylcyclopent-2-en-*r*-1-yl)-9H-adenine (BCA) having anti-HIV activity from norbornadiene, *Heterocycles*, **34**, 1097 (1992).
242. T. Iwaoka, N. Katagiri, M. Sato, and C. Kaneko, Use of 1,3-dioxin-4-ones having a fluorine or trifluoromethyl group at the 5-position as π 2 components in [2+2]photocycloaddition and Diels-Alder reactions, *Chem. Pharm. Bull.*, **40**, 2319 (1992).
243. T. Iwaoka, H. Ichikawa, and C. Kaneko, Why molecular fluorine adds to ethylenes in a *cis* Fashion, *Chem. Pharm. Bull.*, **40**, 1969 (1992).
244. N. Katagiri, A. Toyota, T. Shiraishi, H. Sato, and C. Kaneko, Synthesis of (1*R*,4*S*,5*R*)-(4,5-bishydroxymethylcyclopent-2-en-1-yl)-9H-adenine and selective inhibition of human immunodeficiency virus, *Tetrahedron Lett.*, **33**, 3507 (1992).
245. Y. Tsuda, S. Hosoi, N. Katagiri, C. Kaneko, and T. Sano, Total synthesis of (+)-erysotrine via asymmetric Diels-Alder reaction under super high pressure *Heterocycles*, **33**, 497 (1992).
246. M. Sato, S. Nagashima, T. Furuya, and C. Kaneko, *l*-Menthyl (2*S*)-2-phenyl-3-(*p*-anisyl)-(5*Z*)-benzylidene-4,6-dioxo-1,3-oxazine-2-carboxylate: a new chiral heterodiene and Michael acceptor *Chem. Pharm. Bull.*, **40**, 1972 (1992).
247. N. Katagiri, A. Kurimoto, K. Kitano, H. Nochi, H. Sato, and C. Kaneko, High pressure mediated Diels-Alder reaction using 2-iminomalonates as dienophiles: novel synthesis of carbocyclic nucleosides. *Nucleic Acids, Symp. Ser.*, **27**, 83 (1992).
248. Y. Sugita, J. Sakaki, M. Sato, and C. Kaneko, Enantioselective synthesis of 1,3-dioxin-4-ones having 2,3-dihydroxy- or 2,3,4-trihydroxyalkyl group at the 6-position: versatile building blocks of polyhydroxylated 4-7 carbon backbones *J. Chem. Soc., Perkin Trans. 1*, **1992**, 2855.
249. T. Iwaoka, T. Murohashi, M. Sato, and C. Kaneko, A novel enantioselective preparation of α -fluoro- β -keto acids, *Tetrahedron: Asymmetry*, **3**, 1025 (1992).

250. M. Sato, Y. Sugita, Y. Abiko, and C. Kaneko, Aldol reaction of 4-trimethyl-siloxy-6-methylene-1,3-dioxines with chiral aldehydes: Enantioselective synthesis of 1,3-dioxin-4-ones having a 2,3-dihydroxylated alkyl group at the 6-position, *Tetrahedron: Asymmetry*, **3**, 1157 (1992).
251. A. Toyota, N. Katagiri, and C. Kaneko, Mitsunobu reactions for the synthesis of carbocyclic analogues of nucleosides: examination for the regioselectivity, *Synthetic Commun.*, **23**, 1295 (1993).
252. T. Iwaoka, C. Kaneko, A. Shigihara, and H. Ichikawa, Mechanism of *syn* addition of molecular fluorine to ethylene. An *ab initio* MO study, *J. Phys. Org. Chem.*, **6**, 195 (1993).
253. N. Katagiri, T. Shiraishi, A. Toyota, H. Sato, C. Kaneko, and T. Aikawa, Remarkable acceleration for the deamination of BCA by adenosine deaminase under high pressure: enzymatic resolution of 9-(*c*-4,*t*-5-bis-hydroxymethylcyclopent-2-en-*r*-1-yl)-9*H*-adenine [(+)-BCA] having anti-HIV activity, *Chem. Pharm. Bull.*, **41**, 1027 (1993).
254. A. Toyota, N. Katagiri, and C. Kaneko, The Alkylation of 2-amino-6-chloropurine with alcohols by Mitsunobu reaction for a synthesis of carbocyclic guanosine analogs, *Heterocycles*, **36**, 1625 (1993).
255. M. Sato, S. Nagashima, M. Murakami, C. Kaneko and T. Furuya, The Effect of para-substituents on the conformational behaviour of 2,2-diaryl-1,3-oxazine-4,6-diones: evidence from a crystal structure determination, *Tetrahedron*, **49**, 6575 (1993).
256. M. Sato, M. Murakami, C. Kaneko, and T. Furuya, *l*-Menthyl (*R*)-2-phenyl-4-oxo-1,3-dioxine-2-carboxylates: diastereofacial selectivity for conjugate addition and its explanation, *Tetrahedron*, **49**, 8529 (1993).
257. M. Sato, H. Hattoti, M. Murakami, and C. Kaneko, An improved synthetic method for both enantiomers of tricyclo[5.2.1.0^{2,6}]deca-4,8-dien-3-one by means of chemoenzymatic dissymmetrization of a meso-compound, *Chem. Lett.*, **1993**, 1919 (1993).
258. Y. Tsuda, S. Hosoi, N. Katagiri, C. Kaneko, and T. Sano, Total synthesis of (+)-erysotrine via asymmetric Diels-Alder reaction under high pressure, *Chem. Pharm. Bull.*, **41**, 2087 (1993).

259. N. Katagiri, T. Shiraishi, A. Toyota, H. Sato, and C. Kaneko, Remarkable acceleration for the deamination of carbocyclic purine nucleosides by adenosine deaminase under high pressure, *Nucleic Acids, Symp. Ser.*, **29**, 95 (1993).
260. A. Toyota, N. Katagiri, and C. Kaneko, Synthesis of 9-(*c*-5-Hydroxy-*c*-4-hydroxymethylcyclopent-2-en-*r*-1-yl)-9*H*-adenine [(+)-Epinor-BCA], *Heterocycles*, **38**, 27 (1994).
261. N. Katagiri, A. Kurimoto, A. Yamada, H. Sato, T. Katsuhara, Y. Takagi, and C. Kaneko, A novel synthesis of cyclic nitrones via a nitrosoketene intermediate, *J. Chem. Soc. Chem. Commun.*, **1994**, 281.
262. A. Toyota, J. Chiba, Y. Sugita, M. Sato, and C. Kaneko, Facile synthesis of 5 α -fluorocholestan-3-one from 4-cholesten-3-one via molecular fluorine addition and reductive defluorination, *Chem. Pharm. Bull.*, **42**, 459 (1994).
263. M. Sato, H. Kuroda, and C. Kaneko, 7-Methyl-2,3,4,5-tetrahydro-1,4-oxazepin-5-one and the dioxepinone analogue: diastereofacial selectivity in catalytic hydrogenation and its explanation, *J. Chem. Soc. Chem. Commun.*, **1994**, 687.
264. M. Sato, S. Sunami, Y. Sugita, and C. Kaneko, Asymmetric aldol reaction of 4-trimethylsiloxy-6-methylene-1,3-dioxinones: Use of tartaric acid-derived (acyloxy)borane complex as the catalyst, *Chem. Pharm. Bull.*, **42**, 839 (1994).
265. C. Kaneko, A. Toyota, J. Chiba, A. Shigihara, and H. Ichikawa, Reaction of methane with molecular fluorine: An ab initio MO study, *Chem. Pharm. Bull.*, **42**, 745 (1994).
266. N. Katagiri, H. Nochi, A. Kurimoto, H. Sato, and C. Kaneko, Synthesis of 5-isonitroso-1,3-dioxine-4,6-diones and their reactions, *Chem. Pharm. Bull.*, **42**, 1251 (1994).
267. M. Sato, T. Hirokawa, H. Hattori, A. Toyota, and C. Kaneko, Synthesis of enantiomerically pure 4-acetoxy-2-fluoro-2-cyclopenten-1-one, *Tetrahedron: Asymmetry*, **5**, 975 (1994).
268. K. Kitano, N. Katagiri, and C. Kaneko, Dimethyl 2-[3,3-bis(methoxycarbonyl)-bicyclo[2.2.1]hept-5-en-2-yl]malonate. Synthesis and base-catalyzed C-C bond cleavage reaction, *Chem. Lett.*, **1994**, 1285.

269. N. Katagiri, S. Makino, and C. Kaneko, Selective protection of the hydroxyl groups of oxetanocin A directed towards the oligonucleotide synthesis, *Nucleic Acids, Symp. Ser.*, **31**, 13 (1994).
270. A. Toyota, C. Habutani, N. Katagiri, and C. Kaneko, Addition of molecular fluorine to bicyclo[2.2.1]hept-2-ene derivatives and conversion to fluorine-containing carbocyclic nucleosides, *Tetrahedron Lett.*, **35**, 5665 (1994).
271. M. Sato, S. Sunami, C. Kaneko, and T. Furuya, 6-Substituted 3-benzylidene-5,6-dihydropyran-2,4-diones: Synthesis and diastereoselectivity, *Tetrahedron: Asymmetry*, **5**, 1665 (1994).
272. M. Sato, S. Sunami, T. Kogawa, and C. Kaneko, An efficient synthesis of *cis*-indan-5-ones by novel modified de Mayo reaction using 2,3-dihydro-4-pyrones as the enone chromophore, *Chem. Lett.*, **1994**, 2191.
273. N. Katagiri, Y. Ito, K. Kitano, A. Toyota, and C. Kaneko, Synthesis of nucleosides and related compounds. XXXVI: Explanation for stereoselectivity of the *cis*-dihydroxylation of *cis*-3,5-disubstituted cyclopentenones *Chem. Pharm. Bull.*, **42**, 2653 (1994).
274. N. Katagiri, H. Sato, A. Kurimoto, M. Okada, A. Yamada, and C. Kaneko, A new synthesis of highly functional nitrones through nitrosoketene intermediate and their use for the stereoselective synthesis of amino acids, *J. Org. Chem.*, **59**, 8101 (1994).
275. M. Sato, M. Murakami, S. Sunami, C. Kaneko, T. Furuya, and H. Kurihara, 2-*l*-Menthylloxycarbonyl-2,6-dimethyl-1,3-dioxin-4-one and related compounds. Relationship between facial selectivity and pyramidalization, *J. Am. Chem. Soc.*, **117**, 4279 (1995).
276. C. Kaneko, J. Chiba, A. Toyota, and M. Sato, Addition of molecular fluorine to azlactones: Novel synthetic method of erythro- β -fluorinated α -amino acids, *Chem. Pharm. Bull.*, **43**, 760 (1995).
277. N. Katagiri, M. Makino, and C. Kaneko, Selective protection of the primary hydroxyl groups of oxetanocin A and conformational analysis of O-protected oxetanocin A, *Chem. Pharm. Bull.*, **43**, 884 (1995).
278. M. Sato, S. Sunami, Y. Sugita, and C. Kaneko, An efficient asymmetric aldol reaction of 4-trimethylsiloxy-6-methylene-1,3-dioxines by chiral binaphthol-titanium complex catalysis, *Heterocycles*, **41**, 1435 (1995).

279. J. Chiba, T. Sugihara, and C. Kaneko, α -Fluorination of sulfoxides bearing α -hydrogens by molecular fluorine. A novel method for the synthesis of α -fluorosulfones,
Chem. Lett., 1995, 581.
280. N. Katagiri, Y. Ito, T. Shiraishi, T. Maruyama, Y. Sato, and C. Kaneko, Deamination of 9-(hydroxymethylated cycloalkyl)adenines (carbocyclic adenine nucleosides) by adenosine deaminase: Effect of high-pressure upon deamination rate and enantioselectivity,
Nucleosides & Nucleotides, in press
281. T. Sugihara, M. Takebayashi, and C. Kaneko, Effects of high pressure on the Heck reaction. Is it possible to control dehydropalladation of alkylpalladium intermediates having β -hydrogens?
Tetrahedron Lett., **36**, 5547 (1995).
282. A. Toyota, M. Aizawa, C. Habutani, N. Katagiri, and C. Kaneko, Addition of molecular fluorine to bicyclo[2.2.1]hept-2-ene derivatives and synthesis of fluorine-containing carbocyclic nucleosides,
Tetrahedron, **51**, 8783 (1995).
283. N. Katagiri, M. Makino, H. Nakajima, C. Kaneko, Synthesis of carbocyclic nucleoside precursors from bicyclo[2.2.1]hept-5-enes using a novel reductive C-C bond cleavage reaction,
Nucleic Acids, Symp. Ser., **34**, 157 (1995).
284. A. Toyota, Y. Ono, and C. Kaneko, Iodofluorination of 2-azabicyclo[2.2.1]hept-5-en-3-ones and related compounds: Regio- and stereoselectivities,
Tetrahedron Lett., **36**, 6123 (1995).
285. M. Sato, T. Taniguchi, T. Hirokawa, and C. Kaneko, A facile synthesis of α,β -difluoro α,β -unsaturated carbonyl compounds by use of molecular fluorine addition,
Tetrahedron Lett., **36**, 6705 (1995).
286. A. Toyota, Y. Ono, J. Chiba, T. Sugihara, and C. Kaneko, α -Fluorination of methyl phenyl sulfoxide and related compounds by molecular fluorine: a novel method for the introduction of fluorine to sulfoxides bearing α -H atoms,
Chem. Pharm. Bull., in press.
287. N. Katagiri, M. Makiko, T. Tamura, and C. Kaneko, Asymmetric induction in the hetero Diels-Alder reaction of benzenesulfonyl cyanide with cyclopentadiene using chiral Lewis acids,
Chem. Pharm. Bull., in press.
288. M. Sato, F. Uehara, K. Aizawa, C. Kaneko, and T. Furuya, Chiral 5,6,7,8-tetrahydrooxepin-2-ones and the azepinone analogues: Conformation and diastereofacial selectivity in the enone addition,
Tetrahedron Lett., in press.